

Cumulative Contents

Regular Section

Regular Papers

Polarized secretion of plasminogen activators by epithelial cell monolayers

R. Canipari, C. Zurzolo, C. Polistina, C. Garbi, L. Aloj, G. Cali, R. Gentile and L. Nitsch (Italy)

1

Dictyostelium myosin II heavy-chain kinase A is activated by heparin, DNA and acidic phospholipids and inhibited by polylysine, polyarginine and histones

Q.G. Medley, W.L. Bagshaw, T. Truong and G.P. Côté (Canada)

7

Glycine, a new regulator of glutamine metabolism in isolated rat-liver cells

N. Vincent, G. Martin and G. Baverel (France)

13

Polyamine metabolism in enterocytes isolated from newborn pigs

F. Blachier, H. M'Rabet-Touil, L. Posho, M.-T. Morel, F. Bernard, B. Darcy-Vrillon and P.-H. Duée (France)

21

Ion transport across the epithelium of the rabbit caecum

K.T.G. Ferreira, P.L. Fernandes and H.G. Ferreira (Portugal)

27

Participation of calpain I activation in the ATP release reaction of platelets stimulated with thrombin

H. Ishii, Y. Suzuki, S. Horie, M. Nakagawa and M. Kazama (Japan)

37

Subsection

Minireview

The sulfonylurea receptor

S.J.H. Ashcroft and F.M. Ashcroft (UK)

45

Regular Papers

Three types of $G_{i\alpha}$ protein of the guinea-pig lung: cDNA cloning and analysis of their tissue distribution

C. Sakanaka, T. Izumi, M. Nakamura, Z.-i. Honda, T. Watanabe, M. Minami, H. Mutoh, H. Bito, Y. Seyama, M. Ui and T. Shimizu (Japan)

61

A site-directed antibody that inhibits phosphorylation of the rat-brain sodium channel by cyclic-AMP-dependent protein kinase

H. Nakayama, H. Shikano and Y. Kanaoka (Japan)

67

Antiprogesterin ZK-98.299 and progesterone display differential binding characteristics in the human myometrial cytosol

A. D'souza, I.N. Hinduja and C.P. Puri (India)

73

Down-regulation of protein kinase C potentiates atrial natriuretic peptide-stimulated cGMP accumulation in vascular smooth-muscle cells

J.-i. Kawabe, Y. Ohsaki and S. Onodera (Japan)

81

Cooperative effects of ethanol and protein kinase C activators on phospholipase-D-mediated hydrolysis of phosphatidylethanolamine in NIH 3T3 fibroblasts

Z. Kiss (USA)

88

Development of fibroblast-type-II cell communications in fetal rabbit lung organ culture

H.C. Nielsen, C.K. Kellogg and C.A. Doyle (USA)

95

Insulin decreases chylomicron production in human fetal small intestine

N. Loirdighi, D. Ménard and E. Levy (Canada)

100

Regulation of mitochondrial glycerol-phosphate dehydrogenase by Ca^{2+} within electroporabilized insulin-secreting cells (INS-1)

G.A. Rutter, W.-F. Pralong and C.B. Wollheim (Switzerland)

107

Caffeine promotes survival of cultured sympathetic neurons deprived of nerve growth factor through a cAMP-dependent mechanism

S. Tanaka and T. Koike (Japan)

114

Effects of androgen on α - and β -adrenergic receptors in membranes from the rat seminal vesicle

S. Shima (Japan)

123

Rapid Report

Transcobalamin II – cobalamin binding sites are present on rabbit germ cells

E. Boukhzer, A. Ennya, F. Felden, A. Gérard, E. Nexø, J.P. Nicolas, H. Gérard and J.L. Guéant (France, Denmark)

128

Regular Section

Regular Papers

- Relationship between cellular ATP, potassium, sodium and magnesium concentrations in mammalian and avian erythrocytes
A. Miseta, P. Bogner, E. Berényi, M. Keller-mayer, C. Galambos, D.N. Wheatley and I.L. Cameron (Hungary, UK, USA) 133
- Identification of heterotrimeric and low molecular weight GTP-binding proteins in rabbit skeletal muscle longitudinal sarcoplasmic reticulum
H. Kutchai, L.M. Geddis and A.S. Otero (USA) 140
- Topoisomerase inhibitors induce apoptosis in thymocytes
Y. Onishi, Y. Azuma, Y. Sato, Y. Mizuno, T. Tadakuma and H. Kizaki (Japan) 147
- Strontium and barium induce exocytosis in electroporated neutrophils
G.J.J.C. Boonen, J. VanSteveninck and J.G.R. Elferink (Netherlands) 155
- A simple model for alanine metabolism in isolated rat hepatocytes
G. Martin, N. Vincent, J. Combet and G. Baverel (France) 161
- Stimulatory effect of phospholipase A₂ treatment on glucose utilization in human erythrocytes
I. Miwa, Y.-J. Duan, S. Murase, H. Fukatsu, A. Tamura and J. Okuda (Japan) 174
- Bovine lens epithelial cells have a ubiquitin-dependent proteolysis system
L.L. Huang, J. Jahngen-Hodge and A. Taylor (USA) 181

Rapid Report

- Effects of okadaic acid on insulin secretion from rat islets of Langerhans
H. Ratcliff and P.M. Jones (UK) 188

Subsection

Regular Papers

- Phosphorylation of serine 2843 in ryanodine receptor-calcium release channel of skeletal muscle by cAMP-, cGMP- and CaM-dependent protein kinase
J. Suko, I. Maurer-Fogy, B. Plank, O. Bertel, W. Wyskovsky, M. Hohenegger and G. Hellmann (Austria) 193

- Activation and priming of the human neutrophil oxidase response by substance P: distinct signal transduction pathways
D. Lloyds and M.B. Hallett (UK) 207
- Non-additivity of adrenaline and galanin effects on ⁸⁶Rb efflux and membrane potential in mouse B-cells suggests sharing of common targets
G. Drews, P. Detimary and J.-C. Henquin (Belgium) 214
- Characterization of phosphatidic acid phosphohydrolase in neutrophil subcellular fractions
G.S. Taylor, A. Ladd, J.E. James, B. Greene and D. English (USA) 219
- CIS-19, a novel platelet activating factor receptor antagonist: in vitro and in vivo studies
F.-N. Ko, S.-M. Yu, I.-S. Chen, Hisahi-Ishii, Y.-L. Chang, T.-F. Huang and C.-M. Teng (Taiwan, Japan) 225
- Ligand binding, internalization, degradation and regulation by guanine nucleotides of bombesin receptor subtypes: a comparative study
L.-H. Wang, S.A. Mantey, J.-T. Lin, H. Frucht and R.T. Jensen (USA) 232

Regular Section

Regular Papers

- Increase in the level of m-calpain correlates with the elevated cleavage of filamin during myogenic differentiation of embryonic muscle cells
K.B. Kwak, S.S. Chung, O.-M. Kim, M.-S. Kang, D.B. Ha and C.H. Chung (South Korea) 243
- Direct gastrin action on isolated rat parietal cells induces morphological transformations
Z.-Q. Li, J.L. Cabero, B.O. Nilsson and S. Mårdh (Sweden) 250
- Responses to heat shock of α B crystallin and HSP28 in U373 MG human glioma cells
K. Kato, S. Goto, K. Hasegawa, H. Shinohara and Y. Inaguma (Japan) 257
- Intracellular calcium mobilization in rat platelets is adversely affected by copper deficiency
W.T. Johnson and S.N. Dufault (USA) 263
- Effect of palmitate concentration on the relative contributions of the β -oxidation pathway and citric acid cycle to total O₂ consumption of isolated rat hepatocytes
D.C. Henly and M.N. Berry (Australia) 269
- Increased accumulation of drugs in a multidrug resistant cell line by alteration of membrane biophysical properties
R. Callaghan, A. Stafford and R.M. Epanand (Canada) 277

Aldose reductase is involved in long-term adaptation of EUE cells to hyperosmotic stress <i>A. Ferraretto, A. Negri, A. Giuliani, L. De Grada, A.M. Fuhrman Conti and S. Ronchi (Italy)</i>	283	Phosphorylation of the porcine skeletal and cardiac muscle sarcoplasmic reticulum ryanodine receptor <i>M.A. Strand, C.F. Louis and J.R. Mickelson (USA)</i>	319
An inhibitor of inositol-phospholipid-specific phospholipase C <i>H. Ogawara, K. Higashi, S. Manita, M. Hidaka, H. Kato and T. Takenawa (Japan)</i>	289	Stimulation of adult rat ventricular myocyte protein synthesis and phosphoinositide hydrolysis by the endothelins <i>P.H. Sugden, S.J. Fuller, J.R. Mynett, R.J. Hatchett IV, M.A. Bogoyevitch and M.C. Sugden (UK)</i>	327
Sodium nitroprusside inhibits glucose-induced insulin release by activating ATP-sensitive K ⁺ channels <i>M.-H. Antoine, M. Hermann, A. Herchuelz and P. Lebrun (Belgium)</i>	293	Mutations on ¹⁷⁰ Glu, a substrate recognition residue in mouse cAMP-dependent protein kinase, generate enzymes with altered substrate affinity and biological functions <i>T. Tomoda, T. Murata, K.-i. Arai and M.-a. Muramatsu (Japan)</i>	333
Rapid Report		Functional interaction of prostaglandin E receptor EP ₃ subtype with guanine nucleotide-binding proteins, showing low-affinity ligand binding <i>M. Negishi, Y. Sugimoto, Y. Hayashi, T. Namba, A. Honda, A. Watabe, S. Narumiya and A. Ichikawa (Japan)</i>	343
The synthesis of IL-1 receptor antagonist (IL-1ra) by synovial fibroblasts is markedly increased by the cytokines TNF- α and IL-1 <i>J. Martel-Pelletier, R. McCollum and J.-P. Pelletier (Canada)</i>	302	Characteristics of arachidonic-acid-mediated brain protein kinase C activation: evidence for concentration-dependent heterogeneity <i>X.P. Huang, C.D. Silva, X.T. Fan and M. Castagna (France)</i>	351
Subsection		<i>Cumulative Contents, Vol. 1175</i>	357
Regular Papers		<i>Author Index</i>	360
Comparison of Ins(1,4,5)P ₃ receptors from rat cerebellum and bovine adrenal cortex <i>A.M. White, M.A. Varney, N. Maeda, K. Mikoshiba and S.P. Watson (UK, Japan)</i>	307		
Adenosine inhibits fMLP-stimulated adherence and superoxide anion generation by human neutrophils at an early step in signal transduction <i>T.H. Burkey and R.O. Webster (USA)</i>	312		